

## Safety Data Sheet

### SN HC3 VETRI SPECCHI E SPOLV.ML1000 CAL

Conforms to Regulations (EC) 1907/2006, (EC) 1272/2008 and subsequent amendments.

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Mixture identification:

Trade name: SN HC3 VETRI SPECCHI E SPOLV.ML1000 CAL

Trade code: 1705

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Glass and water-resistant surface cleaner

##### 1.3. Details of the supplier of the safety data sheet

Supplier:

ITALCHIMICA s.r.l.

Riviera Maestri del lavoro 10 35127 Padova Italy

Phone +39 049 8792456

Marketing authorization holder

ITALCHIMICA s.r.l. ||Riviera Maestri del lavoro 10 35127 Padova Italy ||Phone +39 049

8792456 - www.sanitecitalia.com

Competent person responsible for the safety data sheet:

regulatory@italchimica.it

##### 1.4. Emergency telephone number

(ITALY) Centro Antiveleni (CAV), Azienda Ospedaliero Universitaria OO.RR. Foggia. Tel

0881732326 (h24)

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)



**Warning, Skin Irrit. 2, Causes skin irritation.**



**Warning, Eye Irrit. 2, Causes serious eye irritation.**

Adverse physicochemical, human health and environmental effects:

No other hazards

##### 2.2. Label elements

Hazard pictograms:



Warning

Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P264 Wash face and hands and any exposed skin after use.

P280 Wear protective gloves and eye/face protection.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

## Safety Data Sheet

### SN HC3 VETRI SPECCHI E SPOLV.ML1000 CAL

Special Provisions:

None

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards










#### SECTION 3: Composition/information on ingredients

##### 3.1. Substances

N.A.

##### 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
>= 25% - < 50%	3-BUTOSSI-2-PROPA NOLO	Index 603-052-00-8 number: CAS: 5131-66-8 EC: 225-878-4 REACH No.: 01-21194755 87-28-xxxx	 3.2/2 Skin Irrit. 2 H315  3.3/2 Eye Irrit. 2 H319
>= 2.5% - < 5%	Sodium Laureth Sulfate	CAS: 68891-38-3 REACH No.: 01-21194886 39-16-0009	 3.2/2 Skin Irrit. 2 H315 4.1/C3 Aquatic Chronic 3 H412  3.3/1 Eye Dam. 1 H318
>= 2.5% - < 5%	Sodium p- cumenesulphonate	CAS: 15763-76-5 EC: 248-983-7 REACH No.: 01-21194894 11-37-xxxx	 3.3/2 Eye Irrit. 2 H319
< 2.5%	2-aminoethanol; ethanolamine	Index 603-030-00-8 number: CAS: 141-43-5 EC: 205-483-3 REACH No.: 01-21194864 55-28-xxxx	 3.2/1B Skin Corr. 1B H314  3.1/4/Oral Acute Tox. 4 H302  3.1/4/Dermal Acute Tox. 4 H312  3.1/4/Inhal Acute Tox. 4 H332

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

## Safety Data Sheet

### SN HC3 VETRI SPECCHI E SPOLV.ML1000 CAL

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

#### **4.2. Most important symptoms and effects, both acute and delayed**

None

#### **4.3. Indication of any immediate medical attention and special treatment needed**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

Suitable extinguishing media:

Water.

Carbon dioxide (CO<sub>2</sub>).

Extinguishing media which must not be used for safety reasons:

None in particular.

#### **5.2. Special hazards arising from the substance or mixture**

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

#### **5.3. Advice for firefighters**

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

#### **6.2. Environmental precautions**

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

#### **6.3. Methods and material for containment and cleaning up**

Wash with plenty of water.

#### **6.4. Reference to other sections**

See also section 8 and 13

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

## Safety Data Sheet

### SN HC3 VETRI SPECCHI E SPOLV.ML1000 CAL

See also section 8 for recommended protective equipment.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

#### 7.3. Specific end use(s)

None in particular

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

2-aminoethanol; ethanolamine - CAS: 141-43-5

EU - STEL: 7.6 mg/m<sup>3</sup>, 3 ppm

EU - TWA(8h): 2.5 mg/m<sup>3</sup>, 1 ppm - STEL: 7.6 mg/m<sup>3</sup>, 3 ppm - Notes: Skin

ACGIH - TWA(8h): 3 ppm - STEL: 6 ppm - Notes: Eye and skin irr

DNEL Exposure Limit Values

3-BUTOSSI-2-PROPANOLO - CAS: 5131-66-8

Consumer: 33.8 04 - Exposure: Human Inhalation - Frequency: Long Term (repeated)

Consumer: 16 mg/kg - Exposure: Human Dermal - Frequency: Long Term (repeated) -

Endpoint: 1 day

Consumer: 8.75 mg/kg - Exposure: Human Oral - Frequency: Long Term (repeated) -

Endpoint: 1 day

Worker Industry: 270.5 04 - Exposure: Human Inhalation - Frequency: Long Term (repeated)

Worker Industry: 44 04 - Exposure: Human Dermal - Frequency: Long Term (repeated) -

Endpoint: 1 day

Sodium Laureth Sulfate - CAS: 68891-38-3

Worker Professional: 2750 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Professional: 175 ppm - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 1650 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Consumer: 15 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects

Consumer: 52 ppm - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

3-BUTOSSI-2-PROPANOLO - CAS: 5131-66-8

Target: Fresh Water - Value: 0.52 mg/l

Target: 08 - Value: 10 mg/l

Target: Marine water - Value: 0.05 04

Target: Freshwater sediments - Value: 2.36 mg/kg

Target: Marine water sediments - Value: 0.236 mg/kg

Target: Soil (agricultural) - Value: 0.16 mg/kg

Sodium Laureth Sulfate - CAS: 68891-38-3

Target: Fresh Water - Value: 0.24 mg/l

Target: Soil (agricultural) - Value: 0.946 mg/kg

Target: Microorganisms in sewage treatments - Value: 10000 mg/l

Target: Marine water - Value: 0.024 mg/l

Target: Marine water sediments - Value: 0.545 mg/kg

#### 8.2. Exposure controls

## Safety Data Sheet

### SN HC3 VETRI SPECCHI E SPOLV.ML1000 CAL

Eye protection:  
 Use close fitting safety goggles, don't use eye lens.  
 Protection for skin:  
 Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.  
 Protection for hands:  
 Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.  
 Respiratory protection:  
 Not needed for normal use.  
 Thermal Hazards:  
 None  
 Environmental exposure controls:  
 None  
 Appropriate engineering controls:  
 None

#### SECTION 9: Physical and chemical properties

##### 9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance:	Transparent Liquid	Visual	--
Color:	Green	Visual	--
Odour:	Fresh / Floral	Olfactory	--
Odour threshold:	N.A.	--	--
pH:	10.5 +/- 0.5	Instrumental Control	--
Melting point / freezing point:	Not Relevant	--	Parameter Not Relevant For The Product Type.
Initial boiling point and boiling range:	Not Relevant	--	Parameter Not Relevant For The Product Type.
Flash point:	Not Relevant	--	Parameter Not Relevant For The Product Type.
Evaporation rate:	Not Relevant	--	Parameter Not Relevant For The Product Type.
Solid/gas flammability:	Not Relevant	--	Parameter Not Relevant For The Product Type.
Upper/lower flammability or explosive limits:	Not Relevant	--	Parameter Not Relevant For The Product Type.
Vapour pressure:	Not Relevant	--	Parameter Not Relevant For The Product Type.
Vapour density:	Not Relevant	--	Parameter Not Relevant For The Product Type.
Relative density:	0.9800 +/-0,01 gr/ml	Instrumental Control	--
Solubility in water:	Excellent	Internal Tests	--
Solubility in oil:	Not Relevant	--	Parameter Not Relevant For The Product Type.
Partition coefficient (n-octanol/water):	Not Relevant	--	Parameter Not Relevant For The Product Type.
Auto-ignition temperature:	Not Relevant	--	Parameter Not Relevant For

## Safety Data Sheet

### SN HC3 VETRI SPECCHI E SPOLV.ML1000 CAL

			The Product Type.
Decomposition temperature:	Not Relevant	--	Parameter Not Relevant For The Product Type.
Viscosity:	< 10 Cps	--	Estimated Estimated Value. Non-Viscous Mixture.
Explosive properties:	Not Relevant	--	Parameter Not Relevant For The Product Type.
Oxidizing properties:	Not Relevant	--	Parameter Not Relevant For The Product Type.

#### 9.2. Other information

Properties	Value	Method:	Notes:
Miscibility:	Not Relevant	--	Parameter Not Relevant For The Product Type.
Fat Solubility:	Not Relevant	--	Parameter Not Relevant For The Product Type.
Conductivity:	Not Relevant	--	Parameter Not Relevant For The Product Type.
Substance Groups relevant properties	Not Relevant	--	Parameter Not Relevant For The Product Type.

#### SECTION 10: Stability and reactivity

##### 10.1. Reactivity

Stable under normal conditions

##### 10.2. Chemical stability

Stable under normal conditions

##### 10.3. Possibility of hazardous reactions

None

##### 10.4. Conditions to avoid

Stable under normal conditions.

##### 10.5. Incompatible materials

None in particular.

##### 10.6. Hazardous decomposition products

None.

#### SECTION 11: Toxicological information

##### 11.1. Information on toxicological effects

Toxicological information of the product:

N.A.

Toxicological information of the main substances found in the product:

3-BUTOSSI-2-PROPANOLO - CAS: 5131-66-8

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat = 3300 mg/kg

Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat > 651 ppm - Duration: 4h

Sodium Laureth Sulfate - CAS: 68891-38-3

a) acute toxicity:

Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg

Test: LD50 - Route: Oral - Species: Rat 4100 mg/kg

b) skin corrosion/irritation:

Test: Skin Irritant - Route: Skin - Species: Rabbit Positive - Notes: PROVA OECD 404



## Safety Data Sheet

### SN HC3 VETRI SPECCHI E SPOLV.ML1000 CAL

- Test: Eye Irritant - Route: Skin - Species: Rabbit Positive - Notes: PROVE OECD 405  
Test: Respiratory Tract Irritant - Route: Inhalation Negative
- d) respiratory or skin sensitisation:  
Test: Skin Sensitization - Route: Skin Negative - Notes: Organismo - Porcellino d'India
- e) germ cell mutagenicity:  
Test: Mutagenesis - Species: Generic Bacteria Negative - Notes: OECD 471  
Test: Mutagenesis - Species: Generic Bacteria Negative - Notes: OECD 476  
Test: Mutagenesis - Species: Generic Bacteria Negative - Notes: OECD 475
- g) reproductive toxicity:  
Test: Reproductive Toxicity - Species: Rat > 300 mg/kg
- Sodium p- cumenesulphonate - CAS: 15763-76-5
- a) acute toxicity:  
Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg  
Test: LD50 - Route: Skin - Species: Rat >
- b) skin corrosion/irritation:  
Test: Skin Sensitization - Route: Skin - Species: Rabbit Negative - Source: OECD 404 - Notes: Lieve Irritante  
Test: Skin Sensitization - Route: Skin - Species: Rabbit Negative - Source: OECD 405 - Notes: Moderatamente Irritante Occhi
- e) germ cell mutagenicity:  
Test: Mutagenesis Negative - Source: EPA OPPTS e OECD 474 NEGATIVI
- f) carcinogenicity:  
Test: Carcinogenicity - Route: Skin - Species: Rat Negative - Source: OECD 453
- g) reproductive toxicity:  
Test: Reproductive Toxicity - Species: Rat > 936 mg/kg - Source: NOAEL
- If not differently specified, the information required in Regulation (EU)2015/830 listed below must be considered as N.A.:
- a) acute toxicity;
  - b) skin corrosion/irritation;
  - c) serious eye damage/irritation;
  - d) respiratory or skin sensitisation;
  - e) germ cell mutagenicity;
  - f) carcinogenicity;
  - g) reproductive toxicity;
  - h) STOT-single exposure;
  - i) STOT-repeated exposure;
  - j) aspiration hazard.

#### SECTION 12: Ecological information

##### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

3-BUTOSSI-2-PROPANOLO - CAS: 5131-66-8

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 560 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia > 1000 mg/l - Duration h: 48

Endpoint: EC14 - Species: Algae > 1000 mg/l - Duration h: 96

c) Bacteria toxicity:

Endpoint: EC14 - Species: Bacteria > 1000 mg/l - Duration h: 3

Sodium Laureth Sulfate - CAS: 68891-38-3

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia 7.4 mg/l - Duration h: 48

Species: Algae 27.7 mg/l - Duration h: 72 - Notes: ErC50 Tasso di crescita

## Safety Data Sheet

### SN HC3 VETRI SPECCHI E SPOLV.ML1000 CAL

Endpoint: LC50 - Species: Fish 7.1 mg/l - Duration h: 96

Endpoint: NOEC - Species: Daphnia 1.2 mg/l - Duration h: 504

Endpoint: NOEC - Species: Fish 1 mg/l - Duration h: 1080

c) Bacteria toxicity:

> 10 g/kg - Duration h: 16 - Notes: EC10

Sodium p- cumenesulphonate - CAS: 15763-76-5

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Algae > 230 mg/l - Duration h: 96

Endpoint: EC50 - Species: Daphnia > 1000 mg/l - Duration h: 48

Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96

2-aminoethanol; ethanolamine - CAS: 141-43-5

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia = 65 mg/l - Duration h: 48

Endpoint: EC50 - Species: Algae = 2.5 mg/l - Duration h: 72

Endpoint: EC50 - Species: Algae = 22.5 mg/l - Duration h: 72 - Notes: Scenedesmus subspicatus

Endpoint: LC50 - Species: Fish = 349 mg/l - Duration h: 96

#### 12.2. Persistence and degradability

N.A.

#### 12.3. Bioaccumulative potential

N.A.

#### 12.4. Mobility in soil

N.A.

#### 12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

#### 12.6. Other adverse effects

None

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

### SECTION 14: Transport information

#### 14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

#### 14.2. UN proper shipping name

N.A.

#### 14.3. Transport hazard class(es)

N.A.

#### 14.4. Packing group

N.A.

#### 14.5. Environmental hazards

ADR-Environmental Pollutant: No

IMDG-Marine pollutant: No

#### 14.6. Special precautions for user

N.A.

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

N.A.



## Safety Data Sheet

# SN HC3 VETRI SPECCHI E SPOLV.ML1000 CAL

### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Dir. 98/24/EC (Risks related to chemical agents at work)

Dir. 2000/39/EC (Occupational exposure limit values)

Regulation (EC) n. 1907/2006 (REACH)

Regulation (EC) n. 1272/2008 (CLP)

Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Regulation (EU) 2015/830

Regulation (EU) n. 286/2011 (ATP 2 CLP)

Regulation (EU) n. 618/2012 (ATP 3 CLP)

Regulation (EU) n. 487/2013 (ATP 4 CLP)

Regulation (EU) n. 944/2013 (ATP 5 CLP)

Regulation (EU) n. 605/2014 (ATP 6 CLP)

Regulation (EU) n. 2015/1221 (ATP 7 CLP)

Regulation (EU) n. 2016/918 (ATP 8 CLP)

Regulation (EU) n. 2016/1179 (ATP 9 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restriction 40

Restrictions related to the substances contained:

No restriction.

Pronto all'Uso

Volatile Organic compounds - VOCs = 30.00 %

Volatile Organic compounds - VOCs = 300.00 g/Kg

Volatile CMR substances = 0.00 %

Halogenated VOCs which are assigned the risk phrase R40 = 0.00 %

Organic Carbon - C = 19.08

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

### SECTION 16: Other information

Full text of phrases referred to in Section 3:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

H318 Causes serious eye damage.

H314 Causes severe skin burns and eye damage.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H332 Harmful if inhaled.

## Safety Data Sheet

### SN HC3 VETRI SPECCHI E SPOLV.ML1000 CAL

Hazard class and hazard category	Code	Description
Acute Tox. 4	3.1/4/Dermal	Acute toxicity (dermal), Category 4
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Irrit. 2, H315	Calculation method
Eye Irrit. 2, H319	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.

## Safety Data Sheet

### SN HC3 VETRI SPECCHI E SPOLV.ML1000 CAL

RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.