## Broom w/ Straight Neck, 310 mm, Medium, Blue







Ideal for cleaning between machines and under tables, this straight-necked Broom easily removes dust, paper and food particles such as fish and meat.

## **Technical Data**

Visible bristle length         78 mm           Material         Polypropylene Polyester Stainless Steel (AISI 304)           Complies with (EC) 1935/2004 on food contact materials*         Yes           Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice         Yes           FDA compliant raw material (CFR 21)         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           California Proposition 65 Compliant         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         15 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         450 Pcs           Quantity per Pallet (80 x 120 x 180-200 cm)         450 Pcs           Quantity Per Layer (Pallet)         90 Pcs.           Length         310 mm           Width         60 mm           Height         140 mm           Not Weight bag (Recycling Symbol "4" Low Density Polyethylene (LOPE)         0.0037 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0307 kg           Tare total         0.02604 kg           Gross Weight         0.47 kg           Chax Leaning temperature (Dishwasher)<	Item Number	31663
Complies with (EC) 1935/2004 on food contact materials¹  Polysester Stainless Steel (AISI 304)  Complies with (EC) 1935/2004 on food contact materials¹  Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  FDA compliant raw material (CFR 21)  Complies with UK 2019 No. 704 on food contact materials  Yes  Complies with UK 2019 No. 704 on food contact materials  Yes  California Proposition 65 Compliant  Ves  Use of phthalates and bisphenol A  No  Is Halal and Kosher compliant  Yes  Box Quantity  15 Pcs.  Quantity per Pallet (80 x 120 x 180-200 cm)  450 Pcs  Quantity Per Layer (Pallet)  90 Pcs.  Length  310 mm  Width  60 mm  Height  140 mm  Net Weight  643 kg  Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)  Weight cardboard (Recycling symbol "20" PAP)  7 are total  6 Gross Weight  7 Cubik metre  7 0.00264 M3  Recommended sterilisation temperature (Autoclave)  121 °C  Max. cleaning temperature (Dishwasher)  80 °C  Max usage temperature (Dishwasher)  91 °C  Max usage temperature (Infood contact)  100 °C  Min. usage temperature  100 °C  Max. drying temperature  100 °C  Min. pH-value in usage concentration  10.5 pH  Max. pH-value in Usage Concentration  10.5 pH  Max. pH-value in Usage Concentration  10.5 pH  Gtin-13 Number	Visible bristle length	78 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice  FDA compliant raw material (CFR 21)  Complies with UK 2019 No. 704 on food contact materials  Meets the REACH Regulation (EC) No. 1907/2006  California Proposition 65 Compliant  Use of phthalates and bisphenol A  Is Halal and Kosher compliant  Box Quantity  15 Pcs.  Quantity per Pallet (80 x 120 x 180-200 cm)  Cuantity Per Layer (Pallet)  Cuantity Per Layer (Pallet)	Material	Polyester Stainless Steel (AISI
Manufacturing Practice         Yes           Compliant raw material (CFR 21)         Yes           Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           California Proposition 65 Compliant         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         15 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         450 Pcs           Quantity Per Layer (Pallet)         90 Pcs.           Length         310 mm           Width         60 mm           Height         140 mm           Net Weight         0.43 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0087 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0307 kg           Tare total         0.0394 kg           Gross Weight         0.47 kg           Cubik metre         0.002604 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (non food contact)         60 °C           Max. drying temperature         100 °C <td>Complies with (EC) 1935/2004 on food contact materials<sup>1</sup></td> <td>Yes</td>	Complies with (EC) 1935/2004 on food contact materials <sup>1</sup>	Yes
Complies with UK 2019 No. 704 on food contact materials         Yes           Meets the REACH Regulation (EC) No. 1907/2006         Yes           California Proposition 65 Compliant         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         15 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         450 Pcs           Quantity Per Layer (Pallet)         90 Pcs.           Length         310 mm           Width         60 mm           Height         140 mm           Net Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0087 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0307 kg           Tare total         0.0394 kg           Gross Weight         0.47 kg           Cubik metre         0.002604 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         80 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentrati		Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes California Proposition 65 Compliant Yes Use of phthalates and bisphenol A No Is Halal and Kosher compliant Yes Box Quantity 15 Pcs. Quantity per Pallet (80 x 120 x 180-200 cm) Quantity Per Layer (Pallet) Pes Length 310 mm Width 60 mm Height 140 mm Net Weight Augith bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling Symbol "20" PAP) Cubik metre 0.002604 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) Max usage temperature (food contact) Min. usage temperature Min. pH-value in usage concentration 10.5 pH Max. pH-value in Usage Concentration 5705020316630	FDA compliant raw material (CFR 21)	Yes
California Proposition 65 Compliant         Yes           Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         15 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         450 Pcs           Quantity Per Layer (Pallet)         90 Pcs.           Length         310 mm           Width         60 mm           Height         140 mm           Net Weight         0.43 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0087 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0307 kg           Tare total         0.0394 kg           Gross Weight         0.47 kg           Cubik metre         0.002604 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         80 °C           Min. usage temperature         20 °C           Max. drying temperature         20 °C           Min. ph-value in usage concentration         2 pH           Max. ph-value in Usage Concentration         10.5 pH	Complies with UK 2019 No. 704 on food contact materials	Yes
Use of phthalates and bisphenol A         No           Is Halal and Kosher compliant         Yes           Box Quantity         15 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         450 Pcs           Quantity Per Layer (Pallet)         90 Pcs.           Length         310 mm           Width         60 mm           Height         140 mm           Net Weight         0.43 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0087 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0307 kg           Tare total         0.0394 kg           Gross Weight         0.47 kg           Cubik metre         0.002604 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         20 °C           Max. drying temperature         20 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020316630	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Is Halal and Kosher compliant         Yes           Box Quantity         15 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         450 Pcs           Quantity Per Layer (Pallet)         90 Pcs.           Length         310 mm           Width         60 mm           Height         140 mm           Net Weight         0.43 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0087 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0307 kg           Tare total         0.0394 kg           Gross Weight         0.47 kg           Cubik metre         0.002604 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         5705020316630	California Proposition 65 Compliant	Yes
Box Quantity         15 Pcs.           Quantity per Pallet (80 x 120 x 180-200 cm)         450 Pcs           Quantity Per Layer (Pallet)         90 Pcs.           Length         310 mm           Width         60 mm           Height         140 mm           Net Weight         0.43 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0087 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0307 kg           Tare total         0.0394 kg           Gross Weight         0.47 kg           Cubik metre         0.002604 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020316630	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 180-200 cm)450 PcsQuantity Per Layer (Pallet)90 Pcs.Length310 mmWidth60 mmHeight140 mmNet Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0307 kgTare total0.0394 kgGross Weight0.47 kgCubik metre0.002604 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020316630	Is Halal and Kosher compliant	Yes
Quantity Per Layer (Pallet)90 Pcs.Length310 mmWidth60 mmHeight140 mmNet Weight0.43 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0307 kgTare total0.0394 kgGross Weight0.47 kgCubik metre0.002604 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMin. usage temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020316630	Box Quantity	15 Pcs.
Length         310 mm           Width         60 mm           Height         140 mm           Net Weight         0.43 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0087 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0307 kg           Tare total         0.0394 kg           Gross Weight         0.47 kg           Cubik metre         0.002604 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Min. usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Max. drying temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020316630	Quantity per Pallet (80 x 120 x 180-200 cm)	450 Pcs
Width 60 mm Height 140 mm Net Weight 0.43 kg Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE) Weight cardboard (Recycling symbol "20" PAP) 0.0307 kg Tare total 0.0394 kg Gross Weight 0.47 kg Cubik metre 0.002604 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature (Min. usage temperature (Min. usage temperature (Min. usage temperature (Min. usage concentration 2 pH Max. pH-value in usage Concentration 10.5 pH Gtin-13 Number 5705020316630	Quantity Per Layer (Pallet)	90 Pcs.
Height         140 mm           Net Weight         0.43 kg           Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)         0.0087 kg           Weight cardboard (Recycling symbol "20" PAP)         0.0307 kg           Tare total         0.0394 kg           Gross Weight         0.47 kg           Cubik metre         0.002604 M3           Recommended sterilisation temperature (Autoclave)         121 °C           Max. cleaning temperature (Dishwasher)         93 °C           Max usage temperature (food contact)         80 °C           Max usage temperature (non food contact)         100 °C           Min. usage temperature         100 °C           Min. pH-value in usage concentration         2 pH           Max. pH-value in Usage Concentration         10.5 pH           Gtin-13 Number         5705020316630	Length	310 mm
Net Weight0.43 kgWeight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0307 kgTare total0.0394 kgGross Weight0.47 kgCubik metre0.002604 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020316630	Width	60 mm
Weight bag (Recycling Symbol "4" Low Density Polyethylene (LDPE)0.0087 kgWeight cardboard (Recycling symbol "20" PAP)0.0307 kgTare total0.0394 kgGross Weight0.47 kgCubik metre0.002604 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature100 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020316630	Height	140 mm
Weight cardboard (Recycling symbol "20" PAP)  Tare total  Gross Weight  Cubik metre  0.002604 M3  Recommended sterilisation temperature (Autoclave)  Max. cleaning temperature (Dishwasher)  Max usage temperature (food contact)  Max usage temperature (non food contact)  Min. usage temperature  100 °C  Min. usage temperature  100 °C  Min. pH-value in usage concentration  2 pH  Max. pH-value in Usage Concentration  10.5 pH  Gtin-13 Number	Net Weight	0.43 kg
Tare total 0.0394 kg Gross Weight 0.47 kg Cubik metre 0.002604 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature 3 -20 °C Max. drying temperature 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020316630		0.0087 kg
Gross Weight 0.47 kg  Cubik metre 0.002604 M3  Recommended sterilisation temperature (Autoclave) 121 °C  Max. cleaning temperature (Dishwasher) 93 °C  Max usage temperature (food contact) 80 °C  Max usage temperature (non food contact) 100 °C  Min. usage temperature (non food contact) 100 °C  Max. drying temperature 100 °C  Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  Gtin-13 Number 5705020316630	Weight cardboard (Recycling symbol "20" PAP)	0.0307 kg
Cubik metre0.002604 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020316630	Tare total	0.0394 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020316630	Gross Weight	0.47 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020316630	Cubik metre	0.002604 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020316630	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMax. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020316630	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature <sup>3</sup> Max. drying temperature  Min. pH-value in usage concentration  pH-value in Usage Concentration  2 pH  Max. pH-value in Usage Concentration  5705020316630	Max usage temperature (food contact)	80 °C
Max. drying temperature100 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10.5 pHGtin-13 Number5705020316630	Max usage temperature (non food contact)	100 °C
Min. pH-value in usage concentration 2 pH  Max. pH-value in Usage Concentration 10.5 pH  Gtin-13 Number 5705020316630	Min. usage temperature <sup>3</sup>	-20 °C
Max. pH-value in Usage Concentration 10.5 pH Gtin-13 Number 5705020316630	Max. drying temperature	100 °C
<b>Gtin-13 Number</b> 5705020316630	Min. pH-value in usage concentration	2 pH
	Max. pH-value in Usage Concentration	10.5 pH
<b>GTIN-14 Number (Box quantity)</b> 15705020316637	Gtin-13 Number	5705020316630
	GTIN-14 Number (Box quantity)	15705020316637

Customs Tariff No. 96039099

Country of origin Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care units, before use.

- 1. See Declaration of Compliance for further details on food contact
- 3. Do not store the product below 0° Celsius.